

ADiNO[®] CL 9900.0

Formerly CL 90 B

Cleaner for Polyurethane Reactive Hotmelt Adhesive

Application

- Cleaning of rollers of flat lamination machines to remove residues of polyurethane reactive hotmelt adhesives
- Used before stopping the machine e.g. at end of work shift

Characteristics

- Low viscosity in molten state

Technical Data

Basis	: Organic Salt
Colour	: White
Appearance	: Powder
Density	: approx. 1.13 g/cm ³
Melting Point	: 49 °C

Instruction for Use

Use ADiNO[®] CL 9900.0 in steps as follows:

- 1) Reduce gap between measuring and application roller to zero
- 2) Place a tray under the rollers to collect waste of hotmelt adhesive
- 3) Rotate rollers backwards; stop rollers when clean
- 4) Add CL 90 B cleaner and turn on the rollers forward for 10-15 minutes
- 5) Stop the rollers and space them out
- 6) Wipe rollers using a cloth

Packaging / Storage

12 kg buckets, 136 kg drum / shelf-life 12 months after production date.
Keep in a cool and dry place

All information based on internal tests and many years of practical experience. The variety of materials used and different work conditions, which lie beyond our control, preclude any claims based on this data. We recommend performing sufficient test and pilot run that our technical service team gladly support.